



International Journal of Anatomy & Applied Physiology (IJAAP) ISSN 2572-7451

A Gold Key to Open the Door to Archival Biomedical Tissue Treasure

Editorial

Shi SR1*, Shi Y2

Department of Pathology, University of Southern California, Keck School of Medicine, Los Angeles, California, USA.

*Corresponding Author:

Shan-Rong Shi MD,

Department of Pathology, University of Southern California, Keck School of Medicine, Los Angeles, California 90033, USA.

E-mail: sshi@usc.edu

Received: August 06, 2015 **Published:** August 18, 2015

Citation: Shi SR, Shi Y (2015) A Gold Key to Open the Door to Archival Biomedical Tissue Treasure. *Int J Anat Appl Physiol.* 1(1e), 1-2. doi: http://dx.doi.org/10.19070/2572-7451-150001

Copyright: Shi SR[©] 2015. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

Formalin-fixed, paraffin-embedded (FFPE) tissue sections have widely been adopted for more than a century as the standard method for morphological study, particularly in the field of diagnostic pathology, most of the criteria for pathological diagnosis are established by the observation of FFPE tissue sections. With remarkable achievements in morphologic research field during the past one more century, FFPE tissue samples have been accumulated worldwide that are accompanied with complete clinical data including follow-up results of treatment, or, experimental data collected previously, resulted in an invaluable resource of research. Three more decades ago, immunohistochemistry (IHC) started to show its power and beauty in the field of histopathology, however, at the early stage it was largely limited on frozen tissue sections only. Formalin fixation masks the proteins (antigen) in the tissue sections that unfortunately become inaccessible for antibody in IHC. Numerous scientists urged to find a way to apply IHC staining on FFPE tissue sections based on a dream that formalin-modified proteins may be retrievable.

The dream became true in 1991 when antigen retrieval (AR) technique was invented [1]. AR is so simple that it just needs to boil the archival FFPE tissue sections in water with microwave oven or any conventional heating methods prior to IHC staining procedure, while it is so effective to achieve excellent IHC staining results. Since then, hundreds and thousands articles all over the world have been published to demonstrate the great impacts of AR technique in the field of morphology [2-5]. It has been recognized that the AR technique provides a gold key to open the door of an invaluable treasure for biomedical research based on a great number of FFPE tissue blocks, accompanied by known patients' follow-up data as mentioned above, providing an extremely valuable approach for translational clinical research and basic research

that cannot easily be reproduced. Therefore, the AR technique has been credited as a revolutionary breakthrough in pathology and a milestone in IHC [5-7].

Following the wide application of AR in immunohistochemistry (IHC), AR was also adopted in immunoelectron microscopy (IEM), in situ hybridization (ISH), TUNEL, etc., It can also be used as a blocking procedure to avoid cross antigen/antibody reaction during multiple IHC staining process [2-5]. Wide application of AR-IHC in histology, pathology, veterinary medicine as well as other fields with respect to morphology have led to several critical issues in further study along the line in terms of quantitative IHC as well as optimal condition for combined application of IHC and other histochemical staining methods [3, 4, 8].

Based on the similarity of formalin-induced chemical modification between proteins and nuclei acids [9], a serial studies performed at our laboratory have demonstrated the successful application of AR technique in extraction of protein, DNA/RNA from FFPE tissue sections [10-12]. These studies have indicated that AR technique may be a necessary step in any new techniques of molecular biology whenever they involve FFPE tissues. Therefore, we believe that AR is the gold key for the FFPE tissue resource worldwide. Exactly as pointed out by Taylor that the AR technique is "A huge bonus, literally unlocking the riches of a resource, that otherwise was simply discarded following diagnostic use" [13]. This "bonus" has increasingly been extended following a serial of novel molecular techniques that are rapidly explored day-by-day. Interestingly, at the beginning of application of these novel molecular techniques, exactly through an approach just as that happened in IHC from limited use in frozen tissue sections and gradually extending the use on FFPE tissue sections based on a simple and effective AR technique [3, 4, 14, 15], all new techniques are used in fresh tissue samples at the beginning, then shifted to use FFPE tissue samples based on the test battery approach to create an optimal protocol of AR principle. The reasons why most, if not all, novel techniques requiring extending use for FFPE tissue are based upon not only the above-mentioned archival FFPE tissues being invaluable resource in basic and clinical research, but also numerous difficulties and limitations while using fresh or frozen tissue samples [16]. Recent successful application of AR technique in imaging mass spectrometry (IMS) on FFPE tissue section has provided an excellent example showing the process of shifting IMS from fresh to FFPE tissue section. First of all, the Experts of IMS are attracted by great achievements in AR-IHC, and have recognized that FFPE tissue is an irreplaceable research source for current personalized medicine. Scientists are gradually aware of the significance of heat-induced AR that is the

²Department of Pathology, New York University School of Medicine, New York, USA.

key to open the door to FFPE tissue samples for application of any new techniques. Recently, several investigators documented their successful application of IMS in FFPE tissue sections based on numerous experiments mimicking the approach of test battery used in AR-IHC in the past two decades. In the Caprioli's Laboratory, they emphasized the critical meaning of two basic factors, heating condition and the pH value of AR solution for the AR technique in the IMS when used to achieve a satisfactory IMS map of proteins distributed in FFPE tissue section [7]. Gustafsson et al [18] compared two solutions, Tris-EDTA and citric acid, as the retrieval solution for IMS analysis of FFPE ovarian cancer tissue sections, and found that their method using citric acid buffer at pH 6.0 with boiling heating condition gave better results based on careful comparison among matched fresh and FFPE ovarian cancer tissue sections, and FFPE tissue sections with heating or without heating treatment. They emphasized that this heat-induced AR protocol for IMS is still in developing. Obviously, it needs more experimental work in achieving satisfactory results when testing a new technique on FFPE tissue sections based on using AR technique. Since the ongoing IMS technique that has been credited as a new tool for tomorrow's morphology in a molecular age [19-21], successful application of AR in IMS provides a valuable research future for FFPE tissue treasure [22].

Today, the gold key to open the door for FFPE tissues has been holding in all scientists' hands who are going to practice new techniques on FFPE tissues. With successful application of AR technique, there have been a twin of major achievements in ARbased techniques in protein science: IHC and tissue proteomics. In consideration of advantages and disadvantages for IHC and tissue proteomics, abundant publications have demonstrated that combining use of IHC and tissue proteomics is the most powerful way to discover biomarkers to reach the goal of personalized target treatment currently [4, 23, 24]. With the unique advantage of morphological analysis based on microscopy, IHC can be used to compensate for lack of cellular localization of proteins indicated by tissue proteomics, although thousands proteins being identified by proteomics that has been a convincible demonstration to indicate proteomics being high throughput sensitive method. Focusing on this combining use of two techniques, a philosophy with respect to development of modern morphology will be established based on combining several modern techniques to create radical changes in traditional morphology. Although prediction of future is difficult, at a foreseeable future, morphology will continue to play a critical role in biomedical science. The sharp localization characterized by morphology is irreplaceable. Thus, morphology will be revolutionized by combining with other molecular techniques continuously to become modernized molecular morphology.

Conclusion

AR technique, as a gold key to open the door for FFPE tissue treasure for modern techniques, will start a new field in the future side-by-sidely with progression of modern molecular morphology.

References

- [1]. Shi SR, Key ME, Kalra KL (1991) Antigen retrieval in formalin-fixed, paraffin-embedded tissues: an enhancement method for immunohistochemical staining based on microwave oven heating of tissue sections. J Histochem Cytochem 39(6): 741-748.
- [2]. Shi SR, Gu J, Taylor CR (2000) Antigen Retrieval Techniques: Immunohistochemistry and Molecular Morphology. (1st edtn), Eaton Publishing, Massachusetts.
- [3]. Shi SR, Taylor CR (2010) Antigen Retrieval Immunohistochemistry Based Research and Diagnostics. John Wiley & Sons, New Jersey.
- [4]. Shi SR, Shi Y, Taylor CR (2011) Antigen Retrieval Immunohistochemistry: Review and Future Prospects in Research and Diagnosis over Two Decades. J Histochem Cytochem 59(1): 13-32.
- Yamashita S (2007) Heat-induced antigen retrieval: Mechanisms and application to histochemistry. Prog Histochem Cytochem 41(3): 141-200.
- [6]. Boon ME, Kok LP (1995) Breakthrough in pathology due to antigen retrieval. Mal J Med Lab Sci 12: 1-9.
- [7]. Gown AM, de Wever N, Battifora H (1993) Microwave-based antigenic unmasking. A revolutionary new technique for routine immunohistochemistry. Appl Immunohistochem 1(4): 256-266.
- [8]. Gadd VL (2014) Combining Immunodetection with Histochemical Techniques: The Effect of Heat-induced Antigen Retrieval on Picro-Sirius Red Staining, J Histochem Cytochem 62(12): 902-906.
- [9]. Shi SR, Cote RJ, Taylor CR (2001) Antigen retrieval immunohistochemistry and molecular morphology in the year 2001. Appl Immunohistochem Mol Morphol 9(2): 107-116.
- [10]. Shi SR, Cote RJ, Wu L, Liu C, Datar R, et al. (2002) DNA extraction from archival formalin-fixed, paraffin-embedded tissue sections based on the antigen retrieval principle: heating under the influence of pH. J Histochem Cytochem 50(8): 1005-1011.
- [11]. Shi SR, Datar R, Liu C, Wu L, Zhang Z, et al. (2004) DNA extraction from archival formalin-fixed, paraffin-embedded tissues: heat-induced retrieval in alkaline solution. Histochem Cell Biol 122(3): 211-218.
- [12]. Shi SR, Taylor CR (2010) Extraction of DNA/RNA from Formalin-Fixed, Paraffin-embedded Tissue Based on the Antigen Retrieval Principle. Antigen Retrieval Immunohistochemistry Based Research and Diagnostics. (1st edtn), John Wiley & Sons, New Jersey. 47-71.
- [13]. Taylor CR (2014) Antigen Retrieval Technique: A Milesone in the History of Immunohistochemistry. (1st edtn), Peking University Press, Inc., Beijing.
- [14]. Taylor CR, Shi SR (2005) Practical issues: fixation, processing and antigen retrieval. Immunomicroscopy. A Diagnostic Tool for the Surgical Pathologist. (3rd edtn), Elsevier Saunders, Philadelphia. 47-74.
- [15]. Shi SR, Cote RJ, Shi Y, Taylor CR (2000) Antigen retrieval technique. Antigen Retrieval Techniques: Immunohistochemistry and Molecular Morphology. (1st edtn), Eaton Publishing, Massachusetts. 311-333.
- [16]. Taylor CR, Cote RJ (2005) Immunomicroscopy. A Diagnostic Tool for the Surgical Pathologist. (3rd edtn), Elsevier Saunders, Philadelphia.
- [17]. Casadonte R, Caprioli RM (2011) Proteomic analysis of formalin-fixed paraffin embedded tissue by MALDI imaging mass spectrometry. Nat Protoc 6(11): 1695-1709.
- [18]. Gustafsson JO, Oehler MK, McColl SR, Hoffmann P (2010) Citric acid antigen retrieval (CAAR) for tryptic peptide imaging directly on archived formalin-fixed paraffin-embedded tissue. J Proteome Res 9(9): 4315-4328.
- [19]. Seeley EH, Caprioli RM (2008) Molecular imaging of proteins in tissues by mass spectrometry. Proc Natl Acad Sci U S A 105(47): 18126-18131.
- [20]. Norris JL, Caprioli RM (2013) Imaging mass spectrometry: A new tool for pathology in a molecular age. Proteomics Clin Appl 7(11-12): 733-738.
- [21]. Gessel MM, Norris JL, Caprioli RM (2014) MALDI imaging mass spectrometry: spatial molecular analysis to enable a new age of discovery. J Proteomics 107: 71-82.
- [22]. Fowler CB, O'Leary TJ, Mason JT (2013) Toward improving the proteomic analysis of formalin-fixed, paraffin-embedded tissue. Expert Rev Proteomics 10(4): 389-400.
- [23]. Taylor CR (2001) Immunohistochemistry for the Age of Molecular Morphology. Appl Immunohistochem Mol Morphol 9(1): 1-2.
- [24]. Shi SR, Balgley BM, Taylor CR (2010) Symbiosis of Immunohistochemistry and Proteomics: Marching to a New Era. Antigen Retrieval Immunohistochemistry Based Research and Diagnostics. John Wiley & Sons, New Jersey. 391-397